Journal of Orthopaedic Research
16:771-772 The Journal of Bone and Joint Surgery, Inc.
© 1998 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 16, 1998

AUTHOR INDEX

Abramson SB, 667
Ahmed IM, 591
Albino AP, 585
Allen C, 122
Allen MJ, 370
Amin AR, 667
Amis AA, 136
An YH, 576
Aoyama I, 654
Attramadal H, 128
Attur M, 667
Augat P, 475, 629
Ayers DC, 370

Bach JM, 112
Bader DL, 726
Barrance PJ, 256
Bartel DL, 80
Bauer TW, 576
Beck TJ, 394
Behrens FF, 144
Bellincampi LD, 414
Benassi MS, 1
Bentley G, 726
Benton HP, 217
Berk A, 330
Berrey BH, 715
Bertoni F, 1
Beynnon BD, 116
Biewener AA, 29
Binette F, 207
Bloch DA, 271
Bogdanske JJ, 285
Böhling T, 1
Bolander ME, 8
Boorman RS, 682
Boskey AL, 38
Boyce TM, 322
Boykiw R, 429
Brånemark P-I, 61
Brånemark R, 61
Brayton CF, 38
Breault-Janicki MJ, 472
Briggs PJ, 340
Brodt MD, 43
Brown TD, 43, 557
Browner BD, 76
Bruder SP, 155
Bryant JT, 472
Buckmeyer JK, 38
Buckwalter JA, 500, 643, 752
Bukata S, 697
Burton-Wurster N, 531
Butehorn HF III, 576
Butler DL, 406

Cailliet R, 766
Callaghan JJ, 557
Camacho NP, 38
Cao M, 104
Caplan AI, 406
Carlin GJ, 675
Carlson CS, 667
Carlsson L, 61
Carrascal MT, 650
Caruso EM, 89
Cha S, 521
Champleboux G, 379
Chan BP, 597
Chan KM, 597
Chansky H, 521
Chao EYS, 256
Chen AC, 542
Chiu J, 309
Choi YW, 144
Claes L, 475
Clark JM, 743
Clohisy DR, 660
Closkey RF, 414
Cole AA, 551
Conrad EU, 521
Cooke TDV, 518
Crawford K, 715

Dahners LE, 438, 509
Daluiski A, 645
Dauskardt RH, 705
DeFouw DO, 144
Delgado-Martínez AD, 650
Della Valle C, 667
Delp SL, 264
Devaney K, 585
Di Cesare PE, 667
Diao E, 399, 629
Dow D, 38
Draughn RA, 576
Dunn MG, 414
Dwosh IL, 472

Edin ML, 509
Einhorn TA, 144
Estok DM, 365
Estupiñán JA, 80
Evans CH, 104

Farahmand F, 136
Fedewa MM, 227
Ferrari C, 1
Ferrario VF, 758
Finerman GAM, 330, 455, 464
Fink DJ, 406
Fragnito N, 758
Frank CB, 421, 441, 448, 604, 682
Frassica FJ, 277, 285
Freed LE, 181
Friedman RJ, 576
Fu SC, 597
Fukuda H, 618
Fyhrie DP, 322

Gage JR, 518
Gamberi G, 1
Gamble JG, 271
Garcia AM, 734
Gebhardt MC, 15
Genant HK, 629
Genda E, 256
Georgescu HI, 104
Gerstenfeld LC, 170
Gertner JM, 38
Gjerdet NR, 293
Glantz L, 585
Glotkowski MC, 322
Goldstein SA, 622
Gordon SL, 406
Goss BC, 611
Gotoh M, 618
Gould SE, 636
Graham HK, 50
Gray ML, 170
Grimsrud CD, 247
Grodzinsky AJ, 490, 734
Grundnes O, 293

Halvorsen V, 128
Hamada K, 618
Hanada K, 654
Hanson PD, 277, 285
Hariharan JS, 399
Harner CD, 675
Harris WH, 365
Harrison DD, 766
Harrison DE, 766
Hart DA, 421, 429, 604
Haudenschild DR, 207
Haupt DL, 622
Haut RC, 348
Hayes WC, 155, 300
Healey JH, 585
Heersche JNM, 355
Helms JA, 636
Herzog W, 441, 448
Hicks DG, 247, 697
Hillis SL, 557
Hirasawa Y, 690
Hiyama Y, 654
Höher J, 675
Homandberg GA, 237, 551
Howell SM, 386, 611
Hsu J, 697
Huiskes R, 23
Huja SS, 54
Hull ML, 386, 611
Hunziker EB, 490, 500
Hutson JM, 50
Hvaal K, 128
Hyun Baek G, 675

Ide C, 690
Iida H, 629
Imamura T, 314
Inoue A, 15, 618
Ishidou Y, 314
Ito K, 743
Iwasaki N, 256

Jackson KR, 645
Jackson SR, 455, 464
Jaiswal N, 155
Janik TJ, 766
Järvinen M, 197
Järvinen TLN, 197
Jasty M, 365
Jiang M, 576
Jiang Y, 629
Jones VK, 271
Joukhadar A, 379

Kääb MJ, 743
Kääriäinen J, 197
Kääriäinen M, 197
Kabel J, 23
Kadiyala S, 155
Kale AA, 667
Kalimo H, 197
Kalscheur VL, 285
Kaneda K, 256
Kang Y, 551
Kao G, 394
Kato M, 314
Kato T, 654
Katona TR, 54
Kawaguchi H, 654
Keaveny TM, 300
Keir PJ, 112
Kinney JH, 622
Kirsch T, 96
Kladny B, 96
Knight MM, 726
Koepp H, 551
Kofroth R, 285
Koman LA, 190
Komiya S, 15
Konieczynski DD, 29
Koolpe M, 217
Kotsios C, 50
Kourea HP, 76
Krettek C, 572
Kuettner KE, 551

Kuhns CA, 645
Kurokawa T, 654
Kurriger GL, 100
Kurth AA, 155
Kuzutani K, 654

LaBreck JC, 576
Ladd AJC, 622
Lagopoulos M, 591
Lark MW, 734
Lavallee S, 379
Le AX, 636
Le LQ, 330
Lee CL, 70
Lee DA, 726
Lee FY-I, 144
Lee JM, 472
Leonard T, 441, 448
Lester GE, 438, 509
Lewis JL, 227
Li G, 122
Li Z, 190
Lieberman JR, 330, 645
Lillich JT, 531
Lindsey RW, 509
Linnemann I, 572
Litsky AS, 70
Lo IKY, 421
Lotz JC, 399
Lust G, 531

Mackenzie CD, 348
MacLeod A, 227
Magagnoli G, 1
Maitland ME, 441, 448
Mak S, 585
Maloney WJ, 705
Mangham DC, 15
Mannß J, 572
Mann KA, 370
Marcacci M, 379
Marchuk LL, 421
Margevicius K, 475
Markel MD, 277, 285
Markolf KL, 455, 464
Martelli S, 379
Martin I, 181
Martin JA, 100, 752
Martínez ME, 650
Maynard JA, 100
McConnell P, 591
McGowan PD, 705
McLeod KJ, 482
McPherson JM, 207
McQuaid DP, 207
Meazzini MC, 170
Merei J, 50
Merli M, 1
Michielon G, 758
Miclau T, 509, 572
Miller LA, 104
Minami A, 256
Minassian A, 720
Mizoguchi A, 690
Mohammed HO, 531
Molendini L, 1
Moore BK, 54
Moran CG, 340
Morihara T, 690
Mourtada FA, 394
Munuera L, 650
Murata F, 314

Nagamine T, 314
Nakamura K, 654
Nakamura T, 654
Nessler J, 500
Newberry WN, 348
Nichols CE, 116
Nicolau DP, 76
Nie L, 76
Nightingale CH, 76
Nixon AJ, 531
Noguchi T, 726
Noonan KJ, 100, 500
Nordsletten L, 128
Nötzli HP, 743
Novotny JE, 116

O'Donnell L, 726
O'Hare D, 720
O'Keefe RJ, 247, 697
Odgaard A, 23
Oegema TR Jr, 227
Oehlert JW, 271
Ohashi KL, 705
Ohkuni K, 513
Öhrnell L-O, 61
Øie E, 128
Okajima S, 690
Osmond C, 285

Padera RF, 181
Parker KH, 720
Pedersen DR, 557
Peretti GM, 89
Piazza SJ, 264
Picci P, 1
Pichora DR, 472
Pierce WA, 715
Pollice PF, 697
Pollock DC, 190
Prasad R, 414
Pritchard D, 8
Pullig O, 96
Puzas JE, 247, 697

Qin L, 597
Qin Y-X, 482
Quinn TM, 490

Radin EL, 322
Ragazzini P, 1
Raggio CL, 38
Ramamurti BS, 365
Ramnaraine ML, 660
Randolph MA, 89
Raskind WH, 521
Reikerås O, 293
Reiter RS, 100
Rempel DM, 112
Reynolds PR, 247, 697
Reynolds SD, 247
Robbins JR, 521
Roberts CJ, 70
Roberts WE, 54
Robinovitch SN, 309
Rock MG, 8
Rodrigo JJ, 217
Rodríguez-Avial M, 650
Rolf C, 597
Romero AC, 705
Root L, 38
Rose J, 271
Rosencrance E, 190
Rosier RN, 247, 697
Rossetti F, 89
Rubin CT, 482
Rudy TW, 122
Ruff CB, 394

Sah RL, 542
Sakane M, 122
Sakou T, 314
Sandell LJ, 521
Sandy JD, 490
Sarkar G, 8
Sathasivam S, 564
Schaffer JL, 170
Schaffler MB, 322
Schandelmaier P, 572
Schwartz GK, 585
Schwartz MH, 227
Sciore P, 429, 604
Scott WW Jr, 394
Sefton GK, 591
Seki M, 513
Senavongse W, 136
Sforza C, 758
Shea M, 155
Shirasu M, 690
Shrive NG, 441, 448, 682
Sievänen H, 197
Silva MJ, 300
Simon J, 475
Skalak R, 61
Skjeldal S, 128
Small CF, 472
Smith BP, 190
Smith TL, 190
Soames RW, 591
Sollazzo MR, 1
Stefanovic-Racic M, 104
Steiner G, 667
Steinhäuser B, 96
Stern SH, 264
Stevens JW, 100
Stevenson S, 330
Strandhoy JW, 190
Stulberg SD, 264
Suger G, 475
Svindland A, 128
Swan CC, 43
Swoboda B, 96

Tamai K, 690
Tamura M, 654
Tay BK-B, 636
Taylor D, 163
ten Dijke P, 314
Terek RM, 585
Tessier PR, 76
Toledano TR, 38
Toma CD, 170
Trippel SB, 734
Troyanovich SJ, 766
Truty MJ, 29
Tscherne H, 572
Tubo R, 207

Urban JPG, 720
Utvåg SE, 293

Van Reitbergen B, 23
Vanderby R Jr, 277
Vogrin TM, 675
von Schroeder HP, 355
Vunjak-Novakovic G, 181

Walker PS, 564
Wallace MP, 386
Warensjo K, 720
Warner C, 277, 285
Weber KL, 8
Weber W, 406
Welch RD, 715
Wen C, 237
Weseloh G, 96
Willems MJ, 455, 464
Winlove CP, 720
Witte ON, 330
Wolf S, 475
Wolff DR, 271
Woo SL-Y, 122, 675
Wood MB, 340
Wood ML, 438
Wright TM, 80, 643
Wu L, 330

Yaeger PC, 207
Yamakawa H, 618
Young RG, 406
Yuasa N, 513

Zaffagnini S, 379
Zaleske DJ, 89
Zawadsky JP, 414

Journal of Orthopaedic Research
16:773-778 The Journal of Bone and Joint Surgery, Inc.
© 1998 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 16, 1998

SUBJECT INDEX

Activin

Immunohistochemical detection of activin A, follistatin, and activin receptors during fracture healing in the rat, 314

Adrenoceptors

Effect of cooling on cutaneous microvascular adrenoceptors *in vivo* in the rabbit ear, 190

Adriamycin

Skeletal anomalies in the adriamycin-exposed prenatal rat: a model for VATER association, 50

Agarose

Response of chondrocyte subpopulations cultured within unloaded and loaded agarose, 726

Aging

Effect of 25-OH-vitamin D on fracture healing in elderly rats, 650

Effects of fibronectin on articular cartilage chondrocyte proteoglycan synthesis and response to insulin-like growth factor-I, 752

Allograft

Effect of intramedullary polymethylmethacrylate and autogenous cancellous bone on healing of frozen segmental allografts, 285

In vitro and *in vivo* study on the effect of autogenous cancellous bone and intramedullary polymethylmethacrylate on allograft construct strength, 277

Arginine

Generation of nitric oxide by lapine meniscal cells and its effect on matrix metabolism: stimulation of collagen production by arginine, 104

Arthritis

Bone ingrowth to implant surfaces in an inflammatory arthritis model, 576

Arthroplasty

Adhesion and reliability of interfaces in cemented total joint arthroplasties, 705

Analysis of the kinematics of different hip simulators used to study wear of candidate materials for the articulation of total hip arthroplasties, 365

Prediction of long-term polyethylene wear in total hip arthroplasty, based on early wear measurements made using digital image analysis, 557

Short communication. Analysis of optimal range of socket orientations in total hip arthroplasty with use of computer-aided design simulation, 513

Bankart repair

Kinematics of the glenohumeral joint with Bankart lesion and repair, 116

Blood supply

Blood supply of the Achilles tendon, 591

Blunt-impact trauma

Blunt impact causes changes in bone and cartilage in a regularly exercised animal model, 348

Bone

Actions of endothelin-1, 2, and 3 in the microvasculature of bone, 340

Blunt impact causes changes in bone and cartilage in a regularly exercised animal model, 348

Bone ingrowth to implant surfaces in an inflammatory arthritis model, 576

Bone regeneration by implantation of purified, culture-expanded human mesenchymal stem cells, 155

Computed tomography-based finite element analysis predicts failure loads and fracture patterns for vertebral sections, 300

Damage type and strain mode associations in human compact bone bending fatigue, 322

Distal radius fractures: mechanisms of injury and strength prediction by bone mineral assessment, 629

Effect of intramedullary polymethylmethacrylate and autogenous cancellous bone on healing of frozen segmental allografts, 285

Evaluation of a bone's *in vivo* 24-hour loading history for physical exercise compared with background loading, 29

Fatigue of bone and bones: an analysis based on stressed volume, 163

Finite-element modeling of trabecular bone: comparison with mechanical testing and determination of tissue modulus, 622

Histochemical and molecular analyses of distraction osteogenesis in a mouse model, 636

Immunohistochemical detection of activin A, follistatin, and activin receptors during fracture healing in the rat, 314

In vitro and *in vivo* study on the effect of autogenous cancellous bone and intramedullary polymethylmethacrylate on allograft construct strength, 277

Letters to the editors, 518

Local tissue properties in bone healing: influence of size and stability of the osteotomy gap, 475

Mechanical behavior of human morselized cancellous bone in triaxial compression testing, 43

Microhardness and anisotropy of the vital osseous interface and endosseous implant supporting bone, 54

Nonlinear dependence of loading intensity and cycle number in the maintenance of bone mass and morphology, 482

Osteoclasts are required for bone tumors to grow and destroy bone, 660

Relationships between bone morphology and bone elastic properties can be accurately quantified using high-resolution computer reconstructions, 23

Residual stresses in ultra-high molecular weight polyethylene loaded cyclically by a rigid moving indenter in nonconforming geometries, 80

Use of a bioabsorbable polymer for the delivery of ofloxacin during experimental osteomyelitis treatment, 76

Vascular and structural changes in rat femora following nailing and intramedullary occlusion, 293

Bone marrow stromal cells

In vitro differentiation of chick embryo bone marrow stromal cells into cartilaginous and bone-like tissues, 181

Bone mineral assessment

Distal radius fractures: mechanisms of injury and strength prediction by bone mineral assessment, 629

Bone morphogenetic protein

Bone morphogenetic protein-7 in growth-plate chondrocytes: regulation by retinoic acid is dependent on the stage of chondrocyte maturation, 247

Regional gene therapy with a BMP-2-producing murine stromal cell line induces heterotopic and orthotopic bone formation in rodents, 330

C-*myc* gene

Prognostic relevance of c-*myc* gene expression in giant-cell tumor of bone, 1

Calcidiol

Effect of 25-OH-vitamin D on fracture healing in elderly rats, 650

Calcium-mobilizing ligands

Adenosine 5′-triphosphate, uridine 5′-triphosphate, bradykinin, and lysophosphatidic acid induce different patterns of calcium responses by human articular chondrocytes, 217

Calibration

In situ calibration of miniature sensors implanted into the anterior cruciate ligament. Part I: strain measurements, 455

In situ calibration of miniature sensors implanted into the anterior cruciate ligament. Part II: force probe measurements, 464

Carpal joint

Fingertip loading and carpal tunnel pressure: differences between a pinching and a pressing task, 112

Cartilage

Blunt impact causes changes in bone and cartilage in a regularly exercised animal model, 348

Bonding of cartilage matrices with cultured chondrocytes: an experimental model, 89

Cultured human ankle and knee cartilage differ in susceptibility to damage mediated by fibronectin fragments, 551

Deformation of articular cartilage collagen structure under static and cyclic loading, 743

Effect of static compression on proteoglycan biosynthesis by chondrocytes transplanted to articular cartilage *in vitro*, 542

Effects of injurious compression on matrix turnover around individual cells in calf articular cartilage explants, 490

Exposure of cartilage to a fibronectin fragment amplifies catabolic processes while also enhancing anabolic processes to limit damage, 237

Expression of a stable articular cartilage phenotype without evidence of hypertrophy by adult human articular chondrocytes *in vitro*, 207

Expression of cartilage extracellular matrix and potential regulatory genes in a new human chondrosarcoma cell line, 521
Increased content of type-VI collagen epitopes in human osteoarthritic cartilage: quantitation by inhibition ELISA, 96
Measurement of the charge properties of articular cartilage by an electrokinetic method, 720
Transport of tissue inhibitor of metalloproteinases-1 through cartilage: contributions of fluid flow and electrical migration, 734

Catalase

Role of glutathione in cisplatin resistance in osteosarcoma cell lines, 15

CD44 isoforms

Spatial and temporal expression of CD44 isoforms in the developing and growing joints of the rat limb, 100

Cement

Dye incorporation to enhance the laser ablation of standard and reduced-modulus bone cements, 70
In vitro strength comparison of hydroxyapatite cement and polymethylmethacrylate in subchondral defects in caprine femora, 715
Pre-yield and post-yield shear behavior of the cement-bone interface, 370

Cerebral palsy

Postural balance measurements for children and adolescents, 271

Chemotherapy

Chemotherapy and P-glycoprotein expression in chondrosarcoma, 585

Chondrocytes

Adenosine 5′-triphosphate, uridine 5′-triphosphate, bradykinin, and lysophosphatidic acid induce different patterns of calcium responses by human articular chondrocytes, 217
Bonding of cartilage matrices with cultured chondrocytes: an experimental model, 89
Bone morphogenetic protein-7 in growth-plate chondrocytes: regulation by retinoic acid is dependent on the stage of chondrocyte maturation, 247
Changes in cell, matrix compartment, and fibrillar collagen volumes between growth-plate zones, 500
Chondrocytes in culture produce a mechanically functional tissue, 227
Differentiated cellular function in fetal chondrocytes cultured with insulin-like growth factor-I and transforming growth factor-β, 531
Effect of static compression on proteoglycan biosynthesis by chondrocytes transplanted to articular cartilage *in vitro*, 542
Effects of fibronectin on articular cartilage chondrocyte proteoglycan synthesis and response to insulin-like growth factor-I, 752
Expression of a stable articular cartilage phenotype without evidence of hypertrophy by adult human articular chondrocytes *in vitro*, 207
Programmed removal of chondrocytes during endochondral fracture healing, 144
Response of chondrocyte subpopulations cultured within unloaded and loaded agarose, 726

Chondrosarcoma

Chemotherapy and P-glycoprotein expression in chondrosarcoma, 585
Expression of cartilage extracellular matrix and potential regulatory genes in a new human chondrosarcoma cell line, 521
Up-regulation of inducible nitric oxide synthase and production of nitric oxide by the Swarm rat and human chondrosarcoma, 667

Ciprofloxacin

Effect of ciprofloxacin on the proliferation of osteoblast-like MG-63 human osteosarcoma cells *in vitro*, 509

Cisplatin

Role of glutathione in cisplatin resistance in osteosarcoma cell lines, 15

Collagen

Collagen fiber sliding during ligament growth and contracture, 438
Deformation of articular cartilage collagen structure under static and cyclic loading, 743
Generation of nitric oxide by lapine meniscal cells and its effect on matrix metabolism: stimulation of collagen production by arginine, 104
Identification of the *oim* mutation by dye terminator chemistry combined with automated direct DNA sequencing, 38
Increased content of type-VI collagen epitopes in human osteoarthritic cartilage: quantitation by inhibition ELISA, 96
Use of mesenchymal stem cells in a collagen matrix for Achilles tendon repair, 406

Computed tomography

Computed tomography-based finite element analysis predicts failure loads and fracture patterns for vertebral sections, 300

Computer modeling

Relationships between bone morphology and bone elastic properties can be accurately quantified using high-resolution computer reconstructions, 23

Computer simulation

Posterior tilting of the tibial component decreases femoral rollback in posterior-substituting knee replacement: a computer simulation study, 264

Cooling

Effect of cooling on cutaneous microvascular adrenoceptors *in vivo* in the rabbit ear, 190

Crouch gait

Letters to the editors, 518

Curved beam model

Short communication. Experimental testing of a DEXA-derived curved beam model of the proximal femur, 394

Cytokine

Interleukin-10 inhibits cytokine synthesis in monocytes stimulated by titanium particles: evidence of an anti-inflammatory regulatory pathway, 697

Cytoskeleton

Osteoblast cytoskeletal modulation in response to mechanical strain *in vitro*, 170

Debonding

Adhesion and reliability of interfaces in cemented total joint arthroplasties, 705

Delamination

Computer model to predict subsurface damage in tibial inserts of total knees, 564

Digital image analysis

Prediction of long-term polyethylene wear in total hip arthroplasty, based on early wear measurements made using digital image analysis, 557

Distraction osteogenesis

Histochemical and molecular analyses of distraction osteogenesis in a mouse model, 636

DNA

Identification of the *oim* mutation by dye terminator chemistry combined with automated direct DNA sequencing, 38

Dorsal root ganglion

Localization of tyrosine-phosphorylated proteins in cultured mouse dorsal root ganglion neurons, 690

Dual energy x-ray absorptiometry

Short communication. Experimental testing of a DEXA-derived curved beam model of the proximal femur, 394

Dye

Dye incorporation to enhance the laser ablation of standard and reduced-modulus bone cements, 70
Identification of the *oim* mutation by dye terminator chemistry combined with automated direct DNA sequencing, 38

Editorial

Scientific progress and dissemination of research results: abstracts versus peer-reviewed publications, 643

Electrokinetic method

Measurement of the charge properties of articular cartilage by an electrokinetic method, 720

Elliptical model

Can the sagittal lumbar curvature be closely approximated by an ellipse? 766

Endothelin

Actions of endothelin-1, 2, and 3 in the microvasculature of bone, 340
Endothelin-1 is upregulated during skeletal muscle ischemia and reperfusion, 128

Enzyme-linked immunosorbent assay

Increased content of type-VI collagen epitopes in human osteoarthritic cartilage: quantitation by inhibition ELISA, 96

Exercise

Blunt impact causes changes in bone and cartilage in a regularly exercised animal model, 348
Evaluation of a bone's *in vivo* 24-hour loading history for physical exercise compared with background loading, 29

Falls

Surface stiffness affects impact force during a fall on the outstretched hand, 309

Fatigue failure

Damage type and strain mode associations in human compact bone bending fatigue, 322
Fatigue of bone and bones: an analysis based on stressed volume, 163

Femur

In vitro strength comparison of hydroxyapatite cement and polymethylmethacrylate in subchondral defects in caprine femora, 715
Short communication. Experimental testing of a DEXA-derived curved beam model of the proximal femur, 394

Fibroblast

Viability of fibroblast-seeded ligament analogs after autogenous implantation, 414

Fibronectin

Cultured human ankle and knee cartilage differ in

susceptibility to damage mediated by fibronectin fragments, 551
Effects of fibronectin on articular cartilage chondrocyte proteoglycan synthesis and response to insulin-like growth factor-I, 752
Exposure of cartilage to a fibronectin fragment amplifies catabolic processes while also enhancing anabolic processes to limit damage, 237

Fingertip

Fingertip loading and carpal tunnel pressure: differences between a pinching and a pressing task, 112

Finite element analysis

Computed tomography-based finite element analysis predicts failure loads and fracture patterns for vertebral sections, 300
Computer model to predict subsurface damage in tibial inserts of total knees, 564
Finite-element modeling of trabecular bone: comparison with mechanical testing and determination of tissue modulus, 622
Pre-yield and post-yield shear behavior of the cement-bone interface, 370

Follistatin

Immunohistochemical detection of activin A, follistatin, and activin receptors during fracture healing in the rat, 314

Foot

Foot asymmetry in healthy adults: elliptic Fourier analysis of standardized footprints, 758

Fourier analysis

Foot asymmetry in healthy adults: elliptic Fourier analysis of standardized footprints, 758

Fracture

Adhesion and reliability of interfaces in cemented total joint arthroplasties, 705
Computed tomography-based finite element analysis predicts failure loads and fracture patterns for vertebral sections, 300
Damage type and strain mode associations in human compact bone bending fatigue, 322
Distal radius fractures: mechanisms of injury and strength prediction by bone mineral assessment, 629
Effect of 25-OH-vitamin D on fracture healing in elderly rats, 650
Immunohistochemical detection of activin A, follistatin, and activin receptors during fracture healing in the rat, 314
Local tissue properties in bone healing: influence of size and stability of the osteotomy gap, 475
Programmed removal of chondrocytes during endochondral fracture healing, 144
Short communication. Experimental testing of a DEXA-derived curved beam model of the proximal femur, 394
Single local injection of recombinant fibroblast growth factor-2 stimulates healing of segmental bone defects in rabbits, 654
Surface stiffness affects impact force during a fall on the outstretched hand, 309

Gene therapy

Regional gene therapy with a BMP-2-producing murine stromal cell line induces heterotopic and orthotopic bone formation in rodents, 330

Giant-cell tumor

Prognostic relevance of c-*myc* gene expression in giant-cell tumor of bone, 1

Glenohumeral joint

Kinematics of the glenohumeral joint with Bankart lesion and repair, 116

Glutathione

Role of glutathione in cisplatin resistance in osteosarcoma cell lines, 15

Graft

Bone regeneration by implantation of purified, culture-expanded human mesenchymal stem cells, 155
Can an isometer predict the tensile behavior of a double-looped hamstring graft during anterior cruciate ligament reconstruction? 386
Effect of intramedullary polymethylmethacrylate and autogenous cancellous bone on healing of frozen segmental allografts, 285
Immobilization increases the vulnerability of rabbit medial collateral ligament autografts to creep, 682
In situ calibration of miniature sensors implanted into the anterior cruciate ligament. Part I: strain measurements, 455
In vitro and *in vivo* study on the effect of autogenous cancellous bone and intramedullary polymethylmethacrylate on allograft construct strength, 277
Mechanical behavior of human morselized cancellous bone in triaxial compression testing, 43
Quadriceps load aggravates and roofplasty mitigates active impingement of anterior cruciate ligament grafts against the intercondylar roof, 611

Growth factors

Differentiated cellular function in fetal chondrocytes cultured with insulin-like growth factor-I and transforming growth factor-β, 531
Regional gene therapy with a BMP-2-producing murine stromal cell line induces heterotopic and orthotopic bone formation in rodents, 330
Semiquantitative reverse transcription-polymerase chain reaction analysis of mRNA for growth factors and growth factor receptors from normal and healing rabbit medial collateral ligament tissue, 429
Single local injection of recombinant fibroblast growth factor-2 stimulates healing of segmental bone defects in rabbits, 654

Growth plate

Bone morphogenetic protein-7 in growth-plate chondrocytes: regulation by retinoic acid is dependent on the stage of chondrocyte maturation, 247
Changes in cell, matrix compartment, and fibrillar collagen volumes between growth-plate zones, 500

Hand

Analytic model to predict the strength of tendon repairs, 399
Surface stiffness affects impact force during a fall on the outstretched hand, 309

Healing

Pyridinoline in relation to ultimate stress of the patellar tendon during healing: an animal study, 597
Single local injection of recombinant fibroblast growth factor-2 stimulates healing of segmental bone defects in rabbits, 654

Hip

Analysis of the kinematics of different hip simulators used to study wear of candidate materials for the articulation of total hip arthroplasties, 365
Dye incorporation to enhance the laser ablation of standard and reduced-modulus bone cements, 70
Pre-yield and post-yield shear behavior of the cement-bone interface, 370
Prediction of long-term polyethylene wear in total hip arthroplasty, based on early wear measurements made using digital image analysis, 557
Short communication. Analysis of optimal range of socket orientations in total hip arthroplasty with use of computer-aided design simulation, 513
Short communication. Experimental testing of a DEXA-derived curved beam model of the proximal femur, 394

Hormone

Identification of sex hormone receptors in human and rabbit ligaments of the knee by reverse transcription-polymerase chain reaction: evidence that receptors are present in tissue from both male and female subjects, 604

Humerus

Kinematics of the glenohumeral joint with Bankart lesion and repair, 116

Hyaluronan

Spatial and temporal expression of CD44 isoforms in the developing and growing joints of the rat limb, 100

Hypertrophy

Expression of a stable articular cartilage phenotype without evidence of hypertrophy by adult human articular chondrocytes *in vitro*, 207

Immobilization

Immobilization increases the vulnerability of rabbit medial collateral ligament autografts to creep, 682

Implant

Biomechanical characterization of osseointegration: an experimental *in vivo* investigation in the beagle dog, 61
Bone ingrowth to implant surfaces in an inflammatory arthritis model, 576
Bone regeneration by implantation of purified, culture-expanded human mesenchymal stem cells, 155
Dye incorporation to enhance the laser ablation of standard and reduced-modulus bone cements, 70
Interleukin-10 inhibits cytokine synthesis in monocytes stimulated by titanium particles: evidence of an anti-inflammatory regulatory pathway, 697
Microhardness and anisotropy of the vital osseous interface and endosseous implant supporting bone, 54
Posterior tilting of the tibial component decreases femoral rollback in posterior-substituting knee replacement: a computer simulation study, 264
Vascular and structural changes in rat femora following nailing and intramedullary occlusion, 293
Viability of fibroblast-seeded ligament analogs after autogenous implantation, 414

Infection

Use of a bioabsorbable polymer for the delivery of ofloxacin during experimental osteomyelitis treatment, 76

Insulin-like growth factor

Differentiated cellular function in fetal chondrocytes cultured with insulin-like growth factor-I and transforming growth factor-β, 531

Intercarpal fusion

Biomechanical analysis of limited intercarpal fusion for the treatment of Kienböck's disease: a three-dimensional theoretical study, 256

Interleukin

Chondrocytes in culture produce a mechanically functional tissue, 227

Effects of fibronectin on articular cartilage chondrocyte proteoglycan synthesis and response to insulin-like growth factor-I, 752
Interleukin-10 inhibits cytokine synthesis in monocytes stimulated by titanium particles: evidence of an anti-inflammatory regulatory pathway, 697

Ischemia

Endothelin-1 is upregulated during skeletal muscle ischemia and reperfusion, 128

Isometer

Can an isometer predict the tensile behavior of a double-looped hamstring graft during anterior cruciate ligament reconstruction? 386

Kienböck's disease

Biomechanical analysis of limited intercarpal fusion for the treatment of Kienböck's disease: a three-dimensional theoretical study, 256

Kinematics

Analysis of the kinematics of different hip simulators used to study wear of candidate materials for the articulation of total hip arthroplasties, 365
Kinematics of the glenohumeral joint with Bankart lesion and repair, 116

Knee

Blunt impact causes changes in bone and cartilage in a regularly exercised animal model, 348
Computer model to predict subsurface damage in tibial inserts of total knees, 564
Deformation of articular cartilage collagen structure under static and cyclic loading, 743
Effect of combined axial compressive and anterior tibial loads on *in situ* forces in the anterior cruciate ligament: a porcine study, 122
In situ forces in the posterolateral structures of the knee under posterior tibial loading in the intact and posterior cruciate ligament-deficient knee, 675
Longitudinal measurement of tibial motion relative to the femur during passive displacements in the cat before and after anterior cruciate ligament transection, 448
Method to assess *in vivo* knee stability longitudinally in an animal model of ligament injury, 441
Posterior tilting of the tibial component decreases femoral rollback in posterior-substituting knee replacement: a computer simulation study, 264
Quantitative study of the quadriceps muscles and trochlear groove geometry related to instability of the patellofemoral joint, 136

Laceration injury

Correlation between biomechanical and structural changes during the regeneration of skeletal muscle after laceration injury, 197

Laser

Dye incorporation to enhance the laser ablation of standard and reduced-modulus bone cements, 70

Ligament

Can an isometer predict the tensile behavior of a double-looped hamstring graft during anterior cruciate ligament reconstruction? 386
Collagen fiber sliding during ligament growth and contracture, 438
Comparison of mRNA levels for matrix molecules in normal and disrupted human anterior cruciate ligaments using reverse transcription-polymerase chain reaction, 421
Effect of combined axial compressive and anterior tibial loads on *in situ* forces in the anterior cruciate ligament: a porcine study, 122
Fiber-based anterior cruciate ligament model for biomechanical simulations, 379
Identification of sex hormone receptors in human and rabbit ligaments of the knee by reverse transcription-polymerase chain reaction: evidence that receptors are present in tissue from both male and female subjects, 604
Immobilization increases the vulnerability of rabbit medial collateral ligament autografts to creep, 682
In situ calibration of miniature sensors implanted into the anterior cruciate ligament. Part I: strain measurements, 455
In situ calibration of miniature sensors implanted into the anterior cruciate ligament. Part II: force probe measurements, 464
Longitudinal measurement of tibial motion relative to the femur during passive displacements in the cat before and after anterior cruciate ligament transection, 448
Method to assess *in vivo* knee stability longitudinally in an animal model of ligament injury, 441
Quadriceps load aggravates and roofplasty mitigates active impingement of anterior cruciate ligament grafts against the intercondylar roof, 611
Semiquantitative reverse transcription-polymerase chain reaction analysis of mRNA for growth factors and growth factor receptors from normal and healing rabbit medial collateral ligament tissue, 429
Viability of fibroblast-seeded ligament analogs after autogenous implantation, 414

Limb development

Retinoic acid responsiveness of cells and tissues in developing fetal limbs evaluated in a *RAREhsplacZ* transgenic mouse model, 355

Load

Damage type and strain mode associations in human compact bone bending fatigue, 322
Deformation of articular cartilage collagen structure under static and cyclic loading, 743
Effect of combined axial compressive and anterior tibial loads on *in situ* forces in the anterior cruciate ligament: a porcine study, 122
Evaluation of a bone's *in vivo* 24-hour loading history for physical exercise compared with background loading, 29
Fatigue of bone and bones: an analysis based on stressed volume, 163
Nonlinear dependence of loading intensity and cycle number in the maintenance of bone mass and morphology, 482
Pre-yield and post-yield shear behavior of the cement-bone interface, 370
Residual stresses in ultra-high molecular weight polyethylene loaded cyclically by a rigid moving indenter in nonconforming geometries, 80

Lumbar lordosis

Can the sagittal lumbar curvature be closely approximated by an ellipse? 766

Meniscus

Generation of nitric oxide by lapine meniscal cells and its effect on matrix metabolism: stimulation of collagen production by arginine, 104

Mesenchymal stem cells

Bone regeneration by implantation of purified, culture-expanded human mesenchymal stem cells, 155
Use of mesenchymal stem cells in a collagen matrix for Achilles tendon repair, 406

Microdamage

Damage type and strain mode associations in human compact bone bending fatigue, 322

Microhardness

Microhardness and anisotropy of the vital osseous interface and endosseous implant supporting bone, 54

Morselized bone

Mechanical behavior of human morselized cancellous bone in triaxial compression testing, 43

mRNA

Comparison of mRNA levels for matrix molecules in normal and disrupted human anterior cruciate ligaments using reverse transcription-polymerase chain reaction, 421

Muscle

Correlation between biomechanical and structural changes during the regeneration of skeletal muscle after laceration injury, 197
Endothelin-1 is upregulated during skeletal muscle ischemia and reperfusion, 128

Mutation

Identification of the *oim* mutation by dye terminator chemistry combined with automated direct DNA sequencing, 38

Nails

Deformation of femoral nails with intramedullary insertion, 572
Effect of intramedullary polymethylmethacrylate and autogenous cancellous bone on healing of frozen segmental allografts, 285
In vitro and *in vivo* study on the effect of autogenous cancellous bone and intramedullary polymethylmethacrylate on allograft construct strength, 277

Nitric oxide

Generation of nitric oxide by lapine meniscal cells and its effect on matrix metabolism: stimulation of collagen production by arginine, 104
Up-regulation of inducible nitric oxide synthase and production of nitric oxide by the Swarm rat and human chondrosarcoma, 667

Ofloxacin

Use of a bioabsorbable polymer for the delivery of ofloxacin during experimental osteomyelitis treatment, 76

Orthopaedic Research Society

Publication rate of abstracts presented at the annual meeting of the Orthopaedic Research Society, 645

Osseointegration

Biomechanical characterization of osseointegration: an experimental *in vivo* investigation in the beagle dog, 61

Osteoarthritis

Cultured human ankle and knee cartilage differ in susceptibility to damage mediated by fibronectin fragments, 551
Increased content of type-VI collagen epitopes in human osteoarthritic cartilage: quantitation by inhibition ELISA, 96
Longitudinal measurement of tibial motion relative to the femur during passive displacements in the cat before and after anterior cruciate ligament transection, 448
Method to assess *in vivo* knee stability longitudinally in an animal model of ligament injury, 441

Osteoarthrosis

Blunt impact causes changes in bone and cartilage in a regularly exercised animal model, 348
Effects of injurious compression on matrix turnover

around individual cells in calf articular cartilage explants, 490

Osteoblast

Osteoblast cytoskeletal modulation in response to mechanical strain *in vitro*, 170

Osteoclast

Osteoclasts are required for bone tumors to grow and destroy bone, 660

Osteogenesis

Histochemical and molecular analyses of distraction osteogenesis in a mouse model, 636

Identification of the *oim* mutation by dye terminator chemistry combined with automated direct DNA sequencing, 38

Osteogenic protein

Evidence for the upregulation of osteogenic protein-1 mRNA expression in musculoskeletal neoplasms, 8

Osteolysis

Osteoclasts are required for bone tumors to grow and destroy bone, 660

Residual stresses in ultra-high molecular weight polyethylene loaded cyclically by a rigid moving indenter in nonconforming geometries, 80

Osteomyelitis

Effect of ciprofloxacin on the proliferation of osteoblast-like MG-63 human osteosarcoma cells *in vitro*, 509

Use of a bioabsorbable polymer for the delivery of ofloxacin during experimental osteomyelitis treatment, 76

Osteoporosis

Distal radius fractures: mechanisms of injury and strength prediction by bone mineral assessment, 629

Osteosarcoma

Role of glutathione in cisplatin resistance in osteosarcoma cell lines, 15

Osteotomy

Local tissue properties in bone healing: influence of size and stability of the osteotomy gap, 475

Single local injection of recombinant fibroblast growth factor-2 stimulates healing of segmental bone defects in rabbits, 654

P-glycoprotein

Chemotherapy and P-glycoprotein expression in chondrosarcoma, 585

Role of glutathione in cisplatin resistance in osteosarcoma cell lines, 15

Patellofemoral joint

Blunt impact causes changes in bone and cartilage in a regularly exercised animal model, 348

Quantitative study of the quadriceps muscles and trochlear groove geometry related to instability of the patellofemoral joint, 136

Polyethylene

Prediction of long-term polyethylene wear in total hip arthroplasty, based on early wear measurements made using digital image analysis, 557

Polymethylmethacrylate

Adhesion and reliability of interfaces in cemented total joint arthroplasties, 705

Dye incorporation to enhance the laser ablation of standard and reduced-modulus bone cements, 70

Effect of intramedullary polymethylmethacrylate and autogenous cancellous bone on healing of frozen segmental allografts, 285

In vitro and *in vivo* study on the effect of autogenous cancellous bone and intramedullary polymethylmethacrylate on allograft construct strength, 277

In vitro strength comparison of hydroxyapatite cement and polymethylmethacrylate in subchondral defects in caprine femora, 715

Pre-yield and post-yield shear behavior of the cement-bone interface, 370

Postural balance measurement

Postural balance measurements for children and adolescents, 271

Protein-tyrosine phosphorylation

Localization of tyrosine-phosphorylated proteins in cultured mouse dorsal root ganglion neurons, 690

Publication status

Publication rate of abstracts presented at the annual meeting of the Orthopaedic Research Society, 645

Scientific progress and dissemination of research results: abstracts versus peer-reviewed publications, 643

Pyridinoline

Pyridinoline in relation to ultimate stress of the patellar tendon during healing: an animal study, 597

Quadriceps muscles

Quadriceps load aggravates and roofplasty mitigates active impingement of anterior cruciate ligament grafts against the intercondylar roof, 611

Quantitative study of the quadriceps muscles and trochlear groove geometry related to instability of the patellofemoral joint, 136

Quantitative computed tomography

Distal radius fractures: mechanisms of injury and strength prediction by bone mineral assessment, 629

Raynaud's syndrome

Effect of cooling on cutaneous microvascular adrenoceptors *in vivo* in the rabbit ear, 190

Remodeling

Histochemical and molecular analyses of distraction osteogenesis in a mouse model, 636

Reperfusion

Endothelin-1 is upregulated during skeletal muscle ischemia and reperfusion, 128

Retinoids

Bone morphogenetic protein-7 in growth-plate chondrocytes: regulation by retinoic acid is dependent on the stage of chondrocyte maturation, 247

Retinoic acid responsiveness of cells and tissues in developing fetal limbs evaluated in a *RAREhsplacZ* transgenic mouse model, 355

Reverse transcription-polymerase chain reaction

Comparison of mRNA levels for matrix molecules in normal and disrupted human anterior cruciate ligaments using reverse transcription-polymerase chain reaction, 421

Identification of sex hormone receptors in human and rabbit ligaments of the knee by reverse transcription-polymerase chain reaction: evidence that receptors are present in tissue from both male and female subjects, 604

Semiquantitative reverse transcription-polymerase chain reaction analysis of mRNA for growth factors and growth factor receptors from normal and healing rabbit medial collateral ligament tissue, 429

Rheumatoid arthritis

Mechanical properties of wrist extensor tendons are altered by the presence of rheumatoid arthritis, 472

Robotic/universal force-moment sensor testing system

Effect of combined axial compressive and anterior tibial loads on *in situ* forces in the anterior cruciate ligament: a porcine study, 122

In situ forces in the posterolateral structures of the knee under posterior tibial loading in the intact and posterior cruciate ligament-deficient knee, 675

Roofplasty

Quadriceps load aggravates and roofplasty mitigates active impingement of anterior cruciate ligament grafts against the intercondylar roof, 611

Rotator cuff disease

Increased substance P in subacromial bursa and shoulder pain in rotator cuff diseases, 618

Sex hormone receptors

Identification of sex hormone receptors in human and rabbit ligaments of the knee by reverse transcription-polymerase chain reaction: evidence that receptors are present in tissue from both male and female subjects, 604

Strain

Damage type and strain mode associations in human compact bone bending fatigue, 322

Evaluation of a bone's *in vivo* 24-hour loading history for physical exercise compared with background loading, 29

Osteoblast cytoskeletal modulation in response to mechanical strain *in vitro*, 170

Response of chondrocyte subpopulations cultured within unloaded and loaded agarose, 726

Stress

Residual stresses in ultra-high molecular weight polyethylene loaded cyclically by a rigid moving indenter in nonconforming geometries, 80

Stress/strain stimulus theory

Nonlinear dependence of loading intensity and cycle number in the maintenance of bone mass and morphology, 482

Substance P

Increased substance P in subacromial bursa and shoulder pain in rotator cuff diseases, 618

Symmetry

Foot asymmetry in healthy adults: elliptic Fourier analysis of standardized footprints, 758

Synchroton tomography

Finite-element modeling of trabecular bone: comparison with mechanical testing and determination of tissue modulus, 622

Tendon

Analytic model to predict the strength of tendon repairs, 399

Blood supply of the Achilles tendon, 591

Mechanical properties of wrist extensor tendons

are altered by the presence of rheumatoid arthritis, 472
Pyridinoline in relation to ultimate stress of the patellar tendon during healing: an animal study, 597
Use of mesenchymal stem cells in a collagen matrix for Achilles tendon repair, 406

Three-dimensional magnetic motion sensor analysis
Deformation of femoral nails with intramedullary insertion, 572

Tibia
Longitudinal measurement of tibial motion relative to the femur during passive displacements in the cat before and after anterior cruciate ligament transection, 448
Posterior tilting of the tibial component decreases femoral rollback in posterior-substituting knee replacement: a computer simulation study, 264

Tissue
Chondrocytes in culture produce a mechanically functional tissue, 227
Finite-element modeling of trabecular bone: comparison with mechanical testing and determination of tissue modulus, 622
Local tissue properties in bone healing: influence of size and stability of the osteotomy gap, 475
Viability of fibroblast-seeded ligament analogs after autogenous implantation, 414

Tissue inhibitor of metalloproteinases
Transport of tissue inhibitor of metalloproteinases-1 through cartilage: contributions of fluid flow and electrical migration, 734

Titanium
Biomechanical characterization of osseointegration: an experimental *in vivo* investigation in the beagle dog, 61
Interleukin-10 inhibits cytokine synthesis in monocytes stimulated by titanium particles: evidence of an anti-inflammatory regulatory pathway, 697

Transforming growth factor
Differentiated cellular function in fetal chondrocytes cultured with insulin-like growth factor-I and transforming growth factor-β, 531
Evidence for the upregulation of osteogenic protein-1 mRNA expression in musculoskeletal neoplasms, 8
Immunohistochemical detection of activin A, follistatin, and activin receptors during fracture healing in the rat, 314

Trochlear groove
Quantitative study of the quadriceps muscles and trochlear groove geometry related to instability of the patellofemoral joint, 136

Tumor
Evidence for the upregulation of osteogenic protein-1 mRNA expression in musculoskeletal neoplasms, 8
Osteoclasts are required for bone tumors to grow and destroy bone, 660
Prognostic relevance of c-*myc* gene expression in giant-cell tumor of bone, 1
Up-regulation of inducible nitric oxide synthase and production of nitric oxide by the Swarm rat and human chondrosarcoma, 667

TUNEL technique
Programmed removal of chondrocytes during endochondral fracture healing, 144

Ultra-high molecular weight polyethylene
Analysis of the kinematics of different hip simulators used to study wear of candidate materials for the articulation of total hip arthroplasties, 365
Computer model to predict subsurface damage in tibial inserts of total knees, 564
Residual stresses in ultra-high molecular weight polyethylene loaded cyclically by a rigid moving indenter in nonconforming geometries, 80

VATER association
Skeletal anomalies in the adriamycin-exposed prenatal rat: a model for VATER association, 50

Vitamin D
Effect of 25-OH-vitamin D on fracture healing in elderly rats, 650

Wrist
Biomechanical analysis of limited intercarpal fusion for the treatment of Kienböck's disease: a three-dimensional theoretical study, 256
Distal radius fractures: mechanisms of injury and strength prediction by bone mineral assessment, 629
Mechanical properties of wrist extensor tendons are altered by the presence of rheumatoid arthritis, 472